## Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 21/12/23

Version: 1.0



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 

Product form : Mixture

Product name : ENMAR MARINE GEAR 68

#### Relevant identified uses of the substance or mixture and uses advised against 1.2.

Relevant identified uses

Use of the substance/mixture : Marine Industrial Gear Oil

Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet

Nerita Limited Ltd., Hong Kong technical@neritaltd.com

**Emergency telephone number** 

technical@neritaltd.com **Emergency contact** 

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Sensitisation - Skin, Category 1 H317 Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## **Label elements**

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Hazard statements (CLP) : H317 - May cause an allergic skin reaction

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray Precautionary statements (CLP)

P272 - Contaminated work clothing should not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - IF ON SKIN: Wash with plenty of water

P321 - Specific treatment (see supplemental first aid instruction on this label) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

#### Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### **Substance**

Not applicable

21/12/23 EN (English) 1/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).] (Note L)	(CAS No) 64742-70-7 (EC no) 265-174-4 (EC index no) 649-477-00-2 (REACH-no) 01-2119487080-42-0003; 01- 2119487080-42 01-2119484627-25-0025; 01-2119484627-25 01-2119471299-27- 0019; 01-2119471299-27	64.3	Not classified
-Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	(CAS No) 64742-54-7 (EC no) 265-157-1 (EC index no) 649-467-00-8 (REACH-no) 01-2119484627-25-0025; 01- 2119484627-25 01-2119471299-27-0019; 01-2119471299-27	34	Not classified
Amines, C12-14-tert-alkyl	(CAS No) 68955-53-3 (EC no) 273-279-1	0 - 0.15	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phosphoric acid, dipentyl ester	(CAS No) 3138-42-9 (EC no) 221-537-9	0 - 0.15	Skin Corr. 1C, H314 Eye Dam. 1, H318

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures
--

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of

water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately

get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact : Injection under the skin of pressurized hydrocarbons can cause severe, permanent tissue

damage. May cause skin irritation / dermatitis.

Symptoms/injuries after eye contact : May cause eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), water, dry chemical powder.

Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known.
Explosion hazard : None known.

Hazardous decomposition products in case of : Hazardous decomposition products may be released during prolonged heating like smokes,

re carbon monoxide and dioxide. Aldehydes. Sulfur oxides.

### 5.3. Advice for firefighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray.

Protective equipment for firefighters : Wear proper protective equipment. In case of fire: Wear self-contained breathing apparatus.

21/12/23 EN (English) 2/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

#### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Wear personal protection equipment. Protective equipment

**Emergency procedures** : Evacuate area. Avoid contact with skin, eves and clothes.

For emergency responders

Protective equipment : Wear suitable protective clothing. In case of fire: Wear self-contained breathing apparatus. Evacuate and limit access. Stop leak if safe to do so. Use ventilation/water spray/fog to **Emergency procedures** 

disperse vapours. Do not touch spilled material.

#### **Environmental precautions**

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

#### Methods and material for containment and cleaning up

For containment : Clean up any spills as soon as possible, using an absorbent material to collect it. For larger

spills, dike area and pump into waste containers.

Methods for cleaning up : Collect all waste in suitable and labelled containers and dispose according to local legislation.

#### Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### Precautions for safe handling

Handling this product may result in electrostatic accumulation. Use proper grounding Additional hazards when processed

procedures.

Precautions for safe handling Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Avoid static electricity

discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Hygiene measures

Handle in accordance with good industrial hygiene and safety practices. Take off contaminated

clothes. Wash contaminated clothing prior to re-use.

#### Conditions for safe storage, including any incompatibilities

: Store in a dry, cool and well-ventilated place. Storage conditions

Special rules on packaging : Keep only in original container.

#### Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## **Control parameters**

No additional information available

#### 8.2. **Exposure controls**

Appropriate engineering controls : Either local exhaust or general room ventilation is usually required.

Personal protective equipment : Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.

Materials for protective clothing : Wear suitable protective clothing. Natural fibres (e.g. cotton) Hand protection

: Wear suitable gloves tested to EN374. Thickness of glove material: > 0.13 mm. Break through

time: ≥ 480 min

Eve protection : Use splash goggles when eye contact due to splashing is possible. DIN EN 166

: In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to Respiratory protection EN140 with Type A/P2 filter or better





## **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

Physical state : Liquid Colour : Amber

21/12/23 EN (English) 3/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

Odour : Characteristics.

Odour threshold : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : 230 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Flammability (solid, gas) Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density No data available Density : 0.8898 g/mL @ 15°C Solubility : No data available Log Pow : No data available Viscosity, kinematic : 68 mm²/s @ 40°C Viscosity, dynamic No data available

Explosive properties : Not explosive. However, formation of explosive air/vapour mixtures are possible.

Oxidising properties : not oxidizing.

Explosive limits : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

None known under normal conditions of use. No polymerization.

#### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

## 10.5. Incompatible materials

Strong oxidizing agents.

## 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Amines, C12-14-tert-alkyl (68955-53-3)	
LD50 oral rat	300 mg/kg
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/m³

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified

21/12/23 EN (English) 4/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

**ENMAR MARINE GEAR 68** 

Viscosity, kinematic 68 mm²/s @ 40°C

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### Persistence and degradability

-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Persistence and degradability	Inherently biodegradable.

#### **Bioaccumulative potential**

# -Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) Bioaccumulative potential Bioaccumulative potential.

#### **Mobility in soil**

No additional information available

## Results of PBT and vPvB assessment

Component	
-Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding

versions, covering waste and dangerous waste.

Waste treatment methods : Can be incinerated according to local regulations.

Waste disposal recommendations : Dispose of this material and its container to hazardous or special waste collection point.

European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

## **UN** number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

## **UN proper shipping name**

Proper Shipping Name (ADR)	:	Not applicable
Proper Shipping Name (IMDG)	:	Not applicable
Proper Shipping Name (IATA)	:	Not applicable
Proper Shipping Name (ADN)	:	Not applicable
Proper Shipping Name (RID)	:	Not applicable

## Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

## **IMDG**

Transport hazard class(es) (IMDG) : Not applicable

## IATA

Transport hazard class(es) (IATA) : Not applicable

21/12/23 EN (English) 5/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

**Packing group** 

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

**Environmental hazards** 

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### Special precautions for user

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

#### - Inland waterway transport

Not applicable

## - Rail transport

Not applicable

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

: International regulatory information:

AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September

2015)

CAS RN: 64742-70-7

Name: Paraffin oils, petroleum, catalytic dewaxed heavy

Note(s): aU This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by

putting an asterisk (\*) after the CAS number.

DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015 CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-

95-1

Generics group name: PARAFFIN OILS

Substance category: UORG Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: Moderate Meets environmental criteria: No

Persistent: No Bioaccumulative: No

Inherently toxic to aquatic organisms: No

21/12/23 EN (English) 6/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

**ENCS**: not listed

KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE

2015-95, July 1, 2015)

Name: Paraffin oils (petroleum), catalytic dewaxed heavy

Korean ID Number: KE-27774

PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012

CAS RN: 64742-70-7

Name: Paraffin oils (petroleum), catalytic dewaxed heavy

TSCA: U.S. Federal, TSCA

TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1))

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)

CAS RN: 64742-70-7

Name: PARAFFIN OILS (PETROLEUM), CATALYTIC DEWAXED HEAVY

CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-

Generics group name: PARAFFIN OILS

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06) CAS RN: 64742-70-7 may be regulated as a member of the Generics group for CAS RN: 8012-95-1

Generics group name: Paraffin oils

CAS RN: 64742-70-7

Name: Paraffin oils (petroleum), catalytic dewaxed heavy

CAS RN: 64742-70-7

Name: PARAFFIN OILS, PETROLEUM, CATALYTIC DEWAXED HEAVY

1990 HPV Challenge Program Chemical HPV Indicator Value (see notes): 0 HPV Sponsorship Value (see notes): F

Notes: 0 Chemical is a candidate for sponsorship under the HPV Challenge Program; F Fully **Sponsored Chemical** 

. International regulatory information:

AICS: Australia. Inventory of Chemical Substances (AICS) (as amended through 1 September 2015)

CAS RN: 64742-54-7

Name: Distillates, petroleum, hydrotreated heavy paraffinic

Note(s): aU -This entry is a chemical of unknown or variable composition, a complex product of a chemical reaction, or a biological material (UVCB); the Australian inventory denotes this by putting an asterisk (\*) after the CAS number.

DSL: Canada. Domestic Substances List (DSL), as amended through September 23, 2015

CAS RN: 64742-54-7

Name: Distillates, petroleum, hydrotreated heavy paraffinic

Canada. Categorization of Existing Substances on DSL (September 2006)

CAS RN: 64742-54-7

Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC Substance category: UORG

Meets CEPA criteria: Yes Meets human health criteria: Yes Human health priority: High Meets environmental criteria: No

Persistent: Yes Bioaccumulative: No

Inherently toxic to aquatic organisms: No

UVCBs-organic Notes:

**ENCS**: not listed

KECI: Korea. Existing Chemicals Inventory (KECI, January 27, 2015, amended through MoE 2015-95, July 1, 2015)

CAS RN: 64742-54-7

Name: Distillates (petroleum), hydrotreated heavy paraffinic

Korean ID Number: KE-12546

PICCS: Philippines. Inventory of Chemicals and Chemical Substances (PICCS) 2012

CAS RN: 64742-54-7

Name: Distillates (petroleum), hydrotreated heavy paraffinic

TSCA: U.S. Federal, TSCA

TSCA IUR 2006, Partially Exempt Petroleum Process Streams (40 CFR 710.46(b)(1)) CAS RN: 64742-54-7

Name: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

TSCA CDR, Partially Exempt Petroleum Process Streams (40 CFR 711.6(b)(1)) (September 6, 2011)

CAS RN: 64742-54-7

Name: Distillates (petroleum), hydrotreated heavy paraffinic

TSCA High Production Volume (HPV) Chemicals: 1990, 1994 & Post-1994 Additions (01/20/06)

CAS RN: 64742-54-7

Name: DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC 1990 HPV Challenge Program Chemical

21/12/23 EN (English) 7/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

 $\ensuremath{\mathsf{HPV}}$  Indicator Value (see notes): 0 Chemical is a candidate for sponsorship under the HPV Challenge Program

HPV Sponsorship Value (see notes): F Fully Sponsored Chemical.

#### **National regulations**

#### Germany

VwVwS Annex reference

: Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS,

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen

: -Distillates (petroleum), hydrotreated heavy paraffinic, Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).], Amines, C12-14-tert-alkyl are listed

SZW-lijst van mutagene stoffen

: -Distillates (petroleum), hydrotreated heavy paraffinic, Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil - unspecified, [A complex combination of hydrocarbons obtained from a catalytic dewaxing process. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil with a viscosity of at least 100 SUS at 100 °F (19cSt at 40 °C).], Amines, C12-14-tert-alkyl are listed

NIET-limitatieve lijst van voor de voortplanting qiftiqe stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

: None of the components are listed

: None of the components are listed

: None of the components are listed

#### Denmark

Classification remarks
Recommendations Danish Regulation

: Emergency management guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the

product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

#### **Chemical safety assessment**

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

## **SECTION 16: Other information**

Other information

: It is the user's responsibility to take the mentioned precautionary measures and to ensure that this information is complete and sufficient for the use of this product. Such information is actually to be best of our knowledge and believes accurate as reliable.

#### Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhalation) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Sens. 1A	Sensitisation — Skin, category 1A
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
	<del></del>

21/12/23 EN (English) 8/9

## Safety Data Sheet

according to Regulation (EU) 2015/830

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

21/12/23 EN (English) 9/9